## The future of wet and dry vacuum cleaning

The VL500 series of wet and dry vacuum cleaners is offering performance and reliability that ensure low total cost of ownership and at the same time has features making daily cleaning tasks easier, faster and safer.
VL500 is ideally suited for hotels, contract cleaners, education, exhibition and conference centers as well as public buildings, manufacturing and industrial applications. A failsafe filter design makes operation easy due to the ability to have individual wet and dry filters working simultaneously. Each filter is specific for either a wet or dry application ensuring maximum performance. With the special dual filtration system, Nilfisk VL500 can be used in whatever environment, wet or dry, without the need to change filters. The unique design and features of VL500 is developed in partnership with Nilfisk customers. The VL500 is available in different configurations and various container sizes; 35, 55 and 75 liter.
Go to the specific factsheet for further information.



Picture shown may not represent model quoted

- Quick release adjustable push handle for easy and ergonomic maneuvering of the machine
- Emptying the container without having to remove the motor head makes operation fast and easy without risk of damage to critical components
- By transferring the weight as you lift the container, the Nilfisk Ergo Tipping system enables you to empty a completely filled container of fluid without excessive effort
- Easy changing of filters with the hinged motor head protects the machines and speeds up the process
- The VL500 can be used in both wet or dry applications without the need to change filters

● Standard equipment

| Included accessories | | Ref. no. | Min. required | VL500 75-2 EDF 220-240V/50-60 EU | VL500 75-2 EDF 220-240V/50 UK | VL500 75-2 EDF 220-240V/50 AU/NZ |
|---|---|---|---|---|---|---|
| **Hose Vacuum Cleaner** | | | | | | |
|  | HOSE D40 2.5M CPL | 107407336 | 1 | ● | ● | ● |
| **Vac Nozzle Wet** | | | | | | |
|  | FLOOR NOZZLE D40 RUBBER STRIP | 107407338 | 1 | | | |
| **Hard Floor Nozzle** | | | | | | |
|  | FLOOR NOZZLE D40 BRUSH | 107407339 | 1 | ● | ● | ● |
| **Crevice Nozzle** | | | | | | |
|  | CREVICE NOZZLE D40 | 107408850 | 1 | ● | ● | ● |
| **Filter** | | | | | | |

All information provided in this document is subject to change without prior notice

## The future of wet and dry vacuum cleaning

| Included accessories | | Ref. no. | Min. required | VL500 75-2 EDF 220-240V/50-60 EU | VL500 75-2 EDF 220-240V/50 UK | VL500 75-2 EDF 220-240V/50 AU/NZ |
|---|---|---|---|---|---|---|
|  | CARTRIDGE FILTER | 107407300 | 1 | • | • | • |
|  | SACK FILTER | 107407304 | 1 | | | |
| **Special Filter** | | | | | | |
|  | WET FILTER | 107407302 | 1 | • | • | • |
| **Tube** | | | | | | |
| | EXTENSION TUBE D40 - SS | 107407337 | 1 | • | • | • |
| **Other** | | | | | | |
|  | TUBEHOLDER D40 | 107407335 | 1 | • | • | • |

• Standard equipment

| Included accessories | | Ref. no. | Min. required | VL500 75-2 EDF 230V/50HZ CN | VL500 75-2 BDF 220-240V/50--60HZ |
|---|---|---|---|---|---|
| **Hose Vacuum Cleaner** | | | | | |
|  | HOSE D40 2.5M CPL | 107407336 | 1 | • | • |
| **Vac Nozzle Wet** | | | | | |
|  | FLOOR NOZZLE D40 RUBBER STRIP | 107407338 | 1 | | |
| **Hard Floor Nozzle** | | | | | |
|  | FLOOR NOZZLE D40 BRUSH | 107407339 | 1 | • | • |
| **Crevice Nozzle** | | | | | |
|  | CREVICE NOZZLE D40 | 107408850 | 1 | • | • |



All information provided in this document is subject to change without prior notice

## The future of wet and dry vacuum cleaning

| | Included accessories | Ref. no. | Min. required | VL500 75-2 EDF 230V/50HZ CN | VL500 75-2 BDF 220-240V/50--60HZ |
|---|---|---|---|---|---|
| **Filter** | | | | | |
|  | CARTRIDGE FILTER | 107407300 | 1 | • | • |
|  | SACK FILTER | 107407304 | 1 | | |
| **Special Filter** | | | | | |
|  | WET FILTER | 107407302 | 1 | • | • |
| **Tube** | | | | | |
| | EXTENSION TUBE D40 - SS | 107407337 | 1 | • | • |
| **Other** | | | | | |
|  | TUBEHOLDER D40 | 107407335 | 1 | • | • |

| Model | VL500 75-2 EDF 220-240V/50-60 EU | VL500 75-2 EDF 220-240V/50 UK | VL500 75-2 EDF 220-240V/50 AU/NZ |
|---|---|---|---|
| Ref. no. | 107405164 | 107405174 | 107405185 |
| PRODUCT FEATURES | | | |
| Dual power | • | • | • |
| Tube holder | • | • | • |
| Dual filter system | • | • | • |
| Folding transport handle | • | • | • |
| Adjustable handle | • | • | • |
| Storage of accessories | • | • | • |
| Drain hose | • | • | • |
| Ergo tipping | • | • | • |

All information provided in this document is subject to change without prior notice

## The future of wet and dry vacuum cleaning

| Model | VL500 75-2 EDF 230V/50HZ CN | VL500 75-2 BDF 220-240V/50-60HZ |
|---|---|---|
| Ref. no. | 107405536 | 107407462 |
| PRODUCT FEATURES | | |
| Dual power | • | • |
| Tube holder | • | • |
| Dual filter system | • | • |
| Folding transport handle | • | |
| Adjustable handle | • | |
| Storage of accessories | • | • |
| Drain hose | • | • |
| Ergo tipping | • | |

| Technical specifications | VL500 75-2 EDF 220-240V/50-60 EU | VL500 75-2 EDF 220-240V/50 UK | VL500 75-2 EDF 220-240V/50 AU/NZ |
|---|---|---|---|
| Plug type | EU | UK | AU/NZ |
| Cable length (m)/ plug type | 10/EU | 10/UK | 10/AUS |
| Voltage (V) | 220-240 | 220-240 | 220-240 |
| Frequency (Hz) | 50-60 | 50-60 | 50 |
| Voltage/frequency (V/Hz) | 220-240/50-60 | 220-240/50-60 | 220-240/50 |
| IP protection class | IP24 | IP24 | IP24 |
| Rated power (W) | 2500 | 2500 | 2500 |
| Power Piec (W) | 2400 | 2400 | 2400 |
| Suction power end of tube (W) | 200 | 200 | 200 |
| Airflow (l/sec.) | 72 | 72 | 72 |
| Vacuum at nozzle (kPa) | 21 | 21 | 21 |
| Sound pressure level (dB(A) BS 5415) | 66 | 66 | 66 |
| Sound power level (dB(A) IEC 704) | 84 | 84 | 84 |
| Cable length (m) | 10 | 10 | 10 |
| Tank capacity (l) | 75 | 75 | 75 |
| Dust bag capacity (l) | 44 | 44 | 44 |
| Sack filter area (cm²) | - | - | - |
| Wet filter area (cm²) | 1840 | 1840 | 1840 |
| Cartridge filter area (optional) (cm²) | 4410 | 4410 | 4410 |
| Hose length (m) | 2.5 | 2.5 | 2.5 |
| Inlet (mm) | 40 | 40 | 40 |
| Length x width x height (mm) | 660x620x1030 | 660x620x1030 | 660x620x1030 |
| Weight (kg) | 28.5 | 28.5 | 28.5 |



All information provided in this document is subject to change without prior notice

## The future of wet and dry vacuum cleaning

| Technical specifications | VL500 75-2 EDF 230V/50HZ CN | VL500 75-2 BDF 220-240V/50-60HZ |
|---|---|---|
| Plug type | CN | EU |
| Cable length (m)/ plug type | 10/CN | 10/EU |
| Voltage (V) | 220-240 | 220-240 |
| Frequency (Hz) | 50-60 | 50-60 |
| Voltage/frequency (V/Hz) | 220-240/50-60 | 220-240/50-60 |
| IP protection class | IP24 | IP24 |
| Rated power (W) | 2500 | 2500 |
| Power Piec (W) | 2400 | 2400 |
| Suction power end of tube (W) | 200 | 200 |
| Airflow (l/sec.) | 72 | 72 |
| Vacuum at nozzle (kPa) | 21 | 21 |
| Sound pressure level (dB(A) BS 5415) | 66 | 66 |
| Sound power level (dB(A) IEC 704) | 84 | 84 |
| Cable length (m) | 10 | 10 |
| Tank capacity (l) | 75 | 75 |
| Dust bag capacity (l) | 44 | 44 |
| Sack filter area (cm²) | - | - |
| Wet filter area (cm²) | 1840 | 1840 |
| Cartridge filter area (optional) (cm²) | 4410 | 4410 |
| Hose length (m) | 2.5 | 2.5 |
| Inlet (mm) | 40 | 40 |
| Length x width x height (mm) | 660x620x1030 | 840x620x1000 |
| Weight (kg) | 28.5 | 28 |

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

| | Accessories | Ref. no. | Min. required | VL500 75-2 EDF 220-240V/50-60 EU | VL500 75-2 EDF 220-240V/50 UK | VL500 75-2 EDF 220-240V/50 AU/NZ |
|---|---|---|---|---|---|---|
| **System 50 Hose Vacuum Cleaner** | | | | | | |
|  | HOSE CONNECTION Ø50 PVC | 6330 | 0 | ○ | ○ | ○ |
|  | HOSE UNIVERSAL Ø50 EVA PER METER | 11984 | 0 | ○ | ○ | ○ |
|  | SLEEVE CPL - VACUUM SIDE - D50/D50 | 15101 | 0 | ○ | ○ | ○ |



All information provided in this document is subject to change without prior notice

## The future of wet and dry vacuum cleaning

| Accessories | | Ref. no. | Min. required | VL500 75-2 EDF 220-240V/50-60 EU | VL500 75-2 EDF 220-240V/50 UK | VL500 75-2 EDF 220-240V/50 AU/NZ |
|---|---|---|---|---|---|---|
| **Squeegee, Blade, Skirt and Splash Guard** | | | | | | |
|  | SQUEEGEE COMPLETE ANTHRACIT | 107407051 | 1 | ○ | ○ | ○ |
| **Filter Bag** | | | | | | |
|  | FLEECE FILTER BAG PU 5 PCS | 302002892 | 1 | ○ | ○ | ○ |
| **Filter** | | | | | | |
|  | CARTRIDGE FILTER | 107407300 | 1 | ● | ● | ● |
|  | HEPA CARTRIDGE FILTER | 107409007 | 1 | ○ | ○ | ○ |
|  | SACK FILTER | 107407304 | 1 | | | |
| **Special Filter** | | | | | | |
|  | WET FILTER | 107407302 | 1 | ● | ● | ● |
| **Other** | | | | | | |
|  | TUBEHOLDER D40 | 107407335 | 1 | ● | ● | ● |
| **Hose Vacuum Cleaner** | | | | | | |
|  | HOSE D40 2.5M CPL | 107407336 | 1 | ● | ● | ● |
| **Tube** | | | | | | |
| | EXTENSION TUBE D40 - SS | 107407337 | 1 | ● | ● | ● |
| **Vac Nozzle Wet** | | | | | | |
|  | FLOOR NOZZLE D40 RUBBER STRIP | 107407338 | 1 | ○ | ○ | ○ |

All information provided in this document is subject to change without prior notice

## The future of wet and dry vacuum cleaning

| | Accessories | Ref. no. | Min. required | VL500 75-2 EDF 220-240V/50-60 EU | VL500 75-2 EDF 220-240V/50 UK | VL500 75-2 EDF 220-240V/50 AU/NZ |
|---|---|---|---|---|---|---|
| **Hard Floor Nozzle** | | | | | | |
|  | FLOOR NOZZLE D40 BRUSH | 107407339 | 1 | ● | ● | ● |
| **Crevice Nozzle** | | | | | | |
|  | CREVICE NOZZLE D40 | 107408850 | 1 | ● | ● | ● |

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

| | Accessories | Ref. no. | Min. required | VL500 75-2 EDF 230V/50HZ CN | VL500 75-2 BDF 220-240V/50--60HZ |
|---|---|---|---|---|---|
| **System 50 Hose Vacuum Cleaner** | | | | | |
|  | HOSE CONNECTION Ø50 PVC | 6330 | 0 | ○ | ○ |
|  | HOSE UNIVERSAL Ø50 EVA PER METER | 11984 | 0 | ○ | ○ |
|  | SLEEVE CPL - VACUUM SIDE - D50/D50 | 15101 | 0 | ○ | ○ |
| **Squeegee, Blade, Skirt and Splash Guard** | | | | | |
|  | SQUEEGEE COMPLETE ANTHRACIT | 107407051 | 1 | ○ | ○ |
| **Filter Bag** | | | | | |
|  | FLEECE FILTER BAG PU 5 PCS | 302002892 | 1 | ○ | ○ |
| **Filter** | | | | | |
|  | CARTRIDGE FILTER | 107407300 | 1 | ● | ● |

All information provided in this document is subject to change without prior notice

## The future of wet and dry vacuum cleaning

| Accessories | | Ref. no. | Min. required | VL500 75-2 EDF 230V/50HZ CN | VL500 75-2 BDF 220-240V/50--60HZ |
|---|---|---|---|---|---|
|  | HEPA CARTRIDGE FILTER | 107409007 | 1 | ○ | ○ |
|  | SACK FILTER | 107407304 | 1 | | ○ |
| **Special Filter** | | | | | |
|  | WET FILTER | 107407302 | 1 | • | • |
| **Other** | | | | | |
|  | TUBEHOLDER D40 | 107407335 | 1 | • | • |
| **Hose Vacuum Cleaner** | | | | | |
|  | HOSE D40 2.5M CPL | 107407336 | 1 | • | • |
| **Tube** | | | | | |
| | EXTENSION TUBE D40 - SS | 107407337 | 1 | • | • |
| **Vac Nozzle Wet** | | | | | |
|  | FLOOR NOZZLE D40 RUBBER STRIP | 107407338 | 1 | ○ | ○ |
| **Hard Floor Nozzle** | | | | | |
|  | FLOOR NOZZLE D40 BRUSH | 107407339 | 1 | • | • |
| **Crevice Nozzle** | | | | | |
|  | CREVICE NOZZLE D40 | 107408850 | 1 | • | • |



All information provided in this document is subject to change without prior notice